

This document gives guidance on the adaptations to programme activities and personal protective equipment (PPE) required for Oxfam staff, partner staff, volunteers and casual workers during the Covid-19 pandemic. To enable lifesaving activities to continue and knowing that different contexts are at different stages in the outbreak, requirements have been determined by a series of levels.¹

Explaining the different Levels:

- Level 1: Countries with no cases
- Level 2: Countries with one or more cases, imported or locally detected, without cases in Oxfam's area of work
- Level 3: Countries with clusters of cases, with cases in Oxfam's area of work
- Level 4: Countries experiencing large outbreaks, and community transmission

Notes on the guidance:

<u>Essential activities</u> are considered those that would be necessary to support a wider Covid-19 response, particularly information gathering, service mapping etc that can take place prior to movement restrictions being enforced, and that would contribute to the continuity of the programme and support a more comprehensive programme in later stages of the outbreak. Essential activities can take place at levels 1 and 2.

Lifesaving activities are considered those necessary for meeting minimum emergency requirements, at levels 3 and 4.

Notes on PPE:

While currently efforts are made to accelerate the production of masks, aprons and googles, there is a global shortage of supply. This shall however not be considered as barrier to ensure the procurement of this equipment to provide a safe working environment for Oxfam and partner staff and community-based volunteers. Oxfam and partner staff need to consider that in some contexts the wearing of PPE such as masks can exacerbate fear and misconceptions and create 'distance' in community level dialogues and interactions which are essential to support communities in preparing for the outbreak. Therefore, we have created different levels to the work of Oxfam and its partners (see the levels above) to balance these factors against ensuring safety and reassurance for our staff and volunteers

The following PPE **must** be used by any member of staff (Oxfam and partner), volunteer or casual worker interacting with the community at Level 3 and above²:

- Masks x1 per person per day (or x 5 per person where using cloth masks, plus laundry soap for washing)
- Hand sanitiser/access to handwashing devices x 1 per person per month for sanitiser³

¹ These levels have been developed taking into consideration actions for reducing spread of the disease per WHO phase of response and using guidance from other NGOs. https://www.who.int/influenza/resources/documents/pandemic phase descriptions and actions.pdf

² As recommended by WHO https://apps.who.int/iris/bitstream/handle/10665/331498/WHO-2019-nCoV-IPCPPE use-2020.2-eng.pdf

³ Instructions for locally producing hand sanitiser can be found here: https://www.who.int/gpsc/5may/Guide to Local Production.pdf



In addition, community-based volunteers must carry the following additional PPE in case they are required to have physical contact with individuals in the community (for example in supporting referrals) and should be replenished once used:

- Gloves (x 5 per person)
- Additional masks (x 2 per person)
- Disposable apron (x 2 per person)

Further specific PPE items are detailed for specific workers in the table below and summarised here:

Phase/Level	Who	Sanitiser/Access to handwashing Facilities	Gloves	Mask	Goggles	Apron	Gumboots
Essential Activities: Levels 1 and 2	ALL community facing staff (Oxfam and partners), volunteers, casual workers	X					
	Specific Casual Workers	X	X	X	X	X	X
Lifesaving Activities: Levels 3 and 4	ALL community facing staff (Oxfam and partners), volunteers, casual workers	X	X (as part of additional PPE)	X		X (as part of additional PPE)	
	Specific Casual Workers	Х	X	X	Х	Х	Х

Specifications for these items and advice on alternatives can be found here <link to specifications and alternatives guidance>>

Where staff (Oxfam and partner) are using PPE, **training must be given in how to use items properly**, and on how to put these on, take these off and dispose of them in the correct way to avoid increasing infection risks and provide a false sense of safety. Space should be made for volunteers to don and doff PPE in a well-ventilated area that allows physical distancing (and social solidarity) to be respected.⁴

⁴ Guidance on proper mask use, and proper use of PPE can be found here: https://www.who.int/emergencies/diseases/novel-coronavirus-2019/advice-for-public/when-and-how-to-use-masks;



Notes for working with volunteers:

Many staff and community volunteers will understandably have concerns about continuing to engage in activities during the outbreak. A thorough discussion of possible risks should be held, with the opportunity to bow out of volunteering if that would be preferred. Agreements such as **consent forms⁵ should be signed with staff and volunteers on their understanding of risks** if they choose to continue, with right to withdraw at any time. Note that these guidelines refer to Oxfam staff, partner staff, volunteers and casual workers.

Activity		Protection and Risk M	lanagement Strategies	
	Level 1	Level 2	Level 3	Level 4
FGDs/Small group meetings	A maximum of 10-12 people per group. Hold in a space that allows for physical distancing of 2m between participants, and has good ventilation, preferably outside Where weather does not permit being outside or opening windows, ensure the space is large enough for physical distancing. Ensure handwashing facilities are available and ask each participant to wash hands on entering and exiting the group Advise participants who feel sick to remain at home and not attend the session Ensure that all sessions contain time for awareness raising and discussion of concerns	Follow the guidance for level 1 but reduce numbers to only essential FGDs/meetings (e.g. consultation on life saving outbreak activities, perception of the disease, health seeking behaviour etc.). Regularly review government guidelines, balancing advice against what is happening in localised context	As a preventative measure, suspend FGDs/meetings; consider other mechanisms for gathering feedback and community input, including telephone, WhatsApp, text message and social media, taking into consideration access issues for different groups.	Suspend FGDs/meetings; consider other mechanisms for gathering feedback and community input, including telephone, WhatsApp, text message and social media, taking into consideration access issues for different groups.

⁵ An example consent form can be found here (to be updated)



Activity		Protection and Risk M	lanagement Strategies	
-	Level 1	Level 2	Level 3	Level 4
Door to Door/	At the end of the session, clean any regularly touched surfaces with disinfectant Reduce the number of FGDs being held to a minimum	Follow the guideness for level 4	Lindortako lifogoving gotiona	As for level 2, however, if
Door to Door/ Household Visits	Do not enter the household, conduct discussions from the doorway where possible. Practice physical distancing, maintaining 2m distance between participants where possible Hold discussions with 1 or only a few members of household Avoid body contact, such as shaking hands, and practice good respiratory hygiene if required. Ensure frequent hand hygiene either by using hand sanitisers or water and soap. Avoid touching your face Cover your nose and mouth with a tissue or your bent elbow when coughing or sneezing	Follow the guidance for level 1 If someone in the HH is sick, stop the visit and refer to medical facilities. Only conduct essential HH visits that are required to support the Covid-19 response.	Undertake lifesaving actions house to house only, for example distributions, active case finding and referrals. Follow the advice for Levels 1 and 2, plus: Avoid contact – leave any items at the door of the household for them to collect, rather than handing over. Sanitise hands in between each 'kit' delivery If discussion is needed, maintain 2m distance; if this is not possible, discuss through the door. The following PPE should be worn: mask Staff (Oxfam & partner) and volunteers conducting household visits should have access to hand sanitiser or handwashing spaces to use regularly	As for level 3, however, if proper PPE is not available, suspend household visits
Key Informant Interviews (KIIs)	Hold in a space that allows for physical distancing of 2m between participants, and has	Follow the guidance for level 1 but reduce numbers to only essential KIIs and consider	As a preventative measure, suspend face to face KIIs and hold these over the phone,	As for level 3.



Activity		Protection and Risk M	lanagement Strategies	
	Level 1	Level 2	Level 3	Level 4
	Level 1 good ventilation, preferably outside Ensure handwashing facilities are available and ask each participant to wash hands on entering and exiting the interview Advise participants who feel sick to remain at home and not attend the session Ensure that all sessions contain time for awareness raising and discussion of concerns At the end of the session, clean any regularly touched surfaces with disinfectant Reduce the number of KIIs being held to a minimum			Level 4
Distributions	Arrange distributions for small numbers at a time, beginning with those that are most vulnerable; manage registration processes with the help of local leaders to keep numbers attending in each distribution 'slot' low. Undertake distributions in open spaces, with plenty of room for people to wait in shaded areas Encourage people to space out in queues, using markers on	Follow the guidance for level 1 but reduce distributions to those items required to prevent transmission at home and community level only. Undertake house to house distributions for vulnerable groups, such as the elderly and those with underlying health problems. Regularly review government guidelines, balancing advice against what is happening in localised context	Suspend large scale distributions. Undertake distributions house to house only, for example distributions, active case finding and referrals. Follow the advice for Levels 1 and 2, plus: Avoid contact – leave any items at the door of the household for them to collect, rather than handing over Ensure hands are sanitised between handling each 'kit'	As for level 3.



Activity		Protection and R	tisk Management Strategies	
	Level 1	Level 2	Level 3	Level 4
	the ground to indicate where		If discussion is needed,	
	possible.		maintain 2m distance; if this is	
	Pre-package kits or items so		not possible, discuss through	
	that recipients can collect		the door.	
	these without contact with		The following PPE should be	
	distributors		worn: plastic apron, mask	
	Have handwashing facilities		Staff (Oxfam & partner) and	
	available and encourage each		volunteers conducting	
	person attending the		household visits should have	
	distribution to use these on		access to hand sanitiser or	
	entering and exiting.		handwashing spaces to use	
	Where possible and markets		regularly	
	are functioning, use electronic			
	voucher or cash systems to			
	allow people to purchase items			
	Utilise mechanisms of recipient			
	confirmation that do not require			
	multiple people to touch the			
	same object; for example, a			
	bucket into which recipients			
	can put a uniquely coded			
	voucher may serve in place of			
	a signature or thumb print.			
	Advise recipients who feel sick			
	to remain at home; organise			
	alternative deliveries for these			
	households			
	Ensure that all distributions			
	have awareness materials			
	displayed and staff available			
	for people to ask questions			
	and discuss concerns			



Activity		Protection and Risk M	lanagement Strategies	
	Level 1	Level 2	Level 3	Level 4
	At the end of the distribution, clean any regularly touched surfaces with disinfectant Reduce the number of distributions to a minimum			
Large group meetings (20+)	Reduce the number of these events being held to a minimum Hold in a space that allows for physical distancing of 2m between participants, and has good ventilation, preferably outside Ensure handwashing facilities are available and ask each participant to wash hands on entering and exiting the interview Advise participants who feel sick to remain at home and not attend the session Ensure that all sessions contain time for awareness raising and discussion of concerns At the end of the session, clean any regularly touched surfaces with disinfectant	As a preventative measure, suspend group meetings; consider other mechanisms for gathering feedback and community input, including telephone, WhatsApp, text message and social media, taking into consideration access issues for different groups.	As a preventative measure, suspend group meetings; consider other mechanisms for gathering feedback and community input, including telephone, WhatsApp, text message and social media, taking into consideration access issues for different groups.	As a preventative measure, suspend group meetings; consider other mechanisms for gathering feedback and community input, including telephone, WhatsApp, text message and social media, taking into consideration access issues for different groups.
Mass events (100+)	including telephone, radio, What		I mechanisms for gathering feedba edia, taking into consideration accures for different groups.	



Activity		Protection and Risk M	lanagement Strategies	
	Level 1	Level 2	Level 3	Level 4
Workshops/Training	Reduce the number of these events being held to a minimum Hold in a space that allows for physical distancing of 2m between participants, and has good ventilation, preferably outside Ensure handwashing facilities are available and ask each participant to wash hands on entering and exiting the interview Advise participants who feel sick to remain at home and not attend the session Ensure that all sessions contain time for awareness raising and discussion of concerns At the end of the session, clean any regularly touched surfaces with disinfectant	Follow the guidance for level 1 but reduce numbers to only essential workshops and trainings. Consider undertaking webinars, remote conferences or online training for staff and volunteers where connection allows. Regularly review government guidelines, balancing advice against what is happening in localised context	As a preventative measure, suspend any workshops or training not relating to the provision of lifesaving aid. For staff (Oxfam & partner) undertaking lifesaving activities, undertake training/briefing daily, whilst donning PPE, and debrief whilst doffing. For essential workshops and training consider undertaking webinars, remote conferences or online training for staff and volunteers where connection allows.	As for level 3, however, if proper PPE is not available, suspend any in-community briefings or training. For essential workshops and training consider undertaking webinars, remote conferences or online training for staff and volunteers where connection allows.
Visits to Partners/Other NGOs	Hold in a space that allows for physical distancing of 2m between participants, and has good ventilation, preferably outside Ensure handwashing facilities are available and ask each participant to wash hands on entering and exiting the interview	Follow the guidance for level 1 but reduce visits to only those that are essential for Covid-19 response preparation and consider holding these by phone, webinars or remote conferences where connection allows where appropriate. Regularly review government guidelines, balancing advice	As a preventative measure, suspend non-lifesaving related visits, and communicate over the phone, video conference or other remote communication. Where visits involve lifesaving tasks and will take place in communities, the following PPE should be worn if available: mask	As for Phase 3



Activity		Protection and Risk M	lanagement Strategies	
	Level 1	Level 2	Level 3	Level 4
	Advise staff and partners who feel sick to remain at home and not attend the session Ensure that all sessions contain time for awareness raising and discussion of concerns At the end of the session, clean any regularly touched surfaces with disinfectant Reduce the number of visits to a minimum	against what is happening in localised context	Staff (Oxfam & partner) and volunteers conducting such visits should have access to hand sanitiser or handwashing spaces to use regularly	
Community Meeting Spaces	When using the space, ensure a maximum number of people relevant to the space is adhered to, to allow for physical distancing of 2m between people. Ensure handwashing facilities are available and ask each person to wash hands on entering and exiting the space Advise those who feel sick to remain at home and not utilise the space Ensure that all sessions held in the space contain time for awareness raising and discussion of concerns, and display appropriate awareness raising materials	Follow the guidance for level 1 but reduce events to only essential events only and reduce the maximum number of participants. Regularly review government guidelines, balancing advice against what is happening in localised context	As a preventative measure, close the use of the space for anyone other than Oxfam Staff and Oxfam partner staff. If there is need to repurpose these spaces (for example as additional shelter etc) ensure that the space has been thoroughly cleaned, particularly surfaces that are often touched, before using for other purposes Specific SOPs should be developed for the use of the space after repurposing. The guide to SOPs can help you create these: << link to SOP guidance >>	As for Phase 3



Activity		Protection and Risk M	lanagement Strategies	
	Level 1	Level 2	Level 3	Level 4
Monitoring and	At the end of each session, clean any regularly touched surfaces with disinfectant Reduce the number of events being held in the space to a minimum	Follow the guidence for level 1	Undertake menitoring or date	As for level 2, however, if
Monitoring and Evaluation / Data Collection (market monitoring, registrations etc)	Do not enter the household or shop and conduct discussions from the doorway where possible. Practice physical distancing, maintaining 2m distance between participants where possible Hold discussions with 1 or only a few members of household or shop Avoid body contact, such as shaking hands, and practice good respiratory hygiene if required. Ensure frequent hand hygiene either by using hand sanitisers or water and soap. Avoid touching your face Cover your nose and mouth with a tissue or your bent elbow when coughing or sneezing Utilise mobile data collection methods where possible and have one note taker only touching the device. Each device should be wiped with a	Follow the guidance for level 1 If someone in the household or shop is sick, stop the visit and refer to medical facilities. Only conduct essential monitoring/data collection visits that are required to support the Covid-19 response.	Undertake monitoring or data collection for lifesaving actions only, for example registering for distributions, active case finding and referrals. Follow the advice for Levels 1 and 2, plus: Avoid contact – utilise mobile data collection methods where possible and have one note taker only touching the device. Each device should be wiped with a disinfectant wipe at the end of each day If discussion is needed, maintain 2m distance; if this is not possible, discuss through the door Explore possibilities for collecting data remotely such as through SMS systems, social media or phone calls. The following PPE should be worn: mask Staff (Oxfam & partner) and volunteers conducting household visits should have access to hand sanitiser or	As for level 3, however, if proper PPE is not available, suspend face to face data collection and use remote collection methods only



Activity		Protection and Risk M	lanagement Strategies	
	Level 1	Level 2	Level 3	Level 4
	disinfectant wipe at the end of		handwashing spaces to use	
	each day		regularly	
Operation and	Ensure operation and	Follow the guidance for level 1,	Follow the guidance for level 1;	As for Phase 3
Maintenance – WASH Facilities	maintenance staff and workers	and introduce a risk prioritisation mechanism to	The following PPE should be	
WASH Facilities	maintain physical distance of 2m from others during work;	ensure facilities that pose the	worn for ANY worker during operation and maintenance	
	where necessary, provide	greatest public health risk are	work at this stage of the	
	workers with signs or barrier	serviced quickly	outbreak:	
	tape that allow them to work		Gloves,	
	maintaining this distance		plastic apron,	
	Ensure that the usually		Mask	
	required PPE is in good stock		Goggles	
	and that those who require to		Gumboots	
	wear this (most notably those		Staff (Oxfam & partner) and	
	working in and with sanitation facilities, such as FSM		workers undertaking operational and maintenance	
	workers) are trained on how to		work should have access to	
	use it and strictly abiding by its		hand sanitiser or handwashing	
	use		spaces to use regularly, and	
	Provide spaces for workers to		spaces to safely don and doff	
	wash their hands on a regular		PPE	
	basis, including at the			
	beginning and end of each			
	shift. For mobile teams,			
	provide sanitiser			
	Provide areas where workers can safely dispose of used			
	PPE			
	Facilities should be cleaned			
	regularly with disinfectant			
	Scale up maintenance teams			
	where possible to complete as			
	many outstanding tasks in			



Activity	Protection and Risk Management Strategies					
	Level 1	Level 2	Level 3	Level 4		
	case of movement restrictions. Ensure those facilities that pose the highest public health risk (latrines and sanitation facilities) are serviced as a priority.					